TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Mon 1 Oct 1962 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | | 30.04 | | 50 | BC | as/st | 2 | 8 | | |
| 0400 | SW | | 30.04 | | 52 | BC | as/st | 2 | 8 | | |
| 0800 | — | — | 30.06 | | 59 | BC | as/st | 2 | 8 | | |
| 1200 | NE | 1 | 30.12 | | 69° | BC | AS/ST | 4 | 8 | | |
| 1600 | SW | 2 | 30.10 | | 64 | BC | AS/ST | 4 | 8 | | |
| 2000 | SW | 2 | 30.16 | | 60° | BC | AS/ST | 2 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 3090 | 9 | 4,000 |
| EXPENDED | 15 | ~ | 200 |
| REMAINING | 3075 | 9 | 3900 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0655 Time Lighted 1805

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | | 30 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START 1015 TIME STOP 1045

## RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 checked all vis a/n
0201 checked all vis a/n

R. A. Heath

0400-0800

0400 checked all vis a/n
0655 secured main light
0630 called crew

Bobby L McWilliams

0800-1200

0800 checked all vis a/n
0800 morning colors, turn too station work.
0920 started emerg. gen. (TEST) CG16585 departed for Newport.
0945 CG16585 arrived with Brown EN-3 from liberty
1030 secured emerg. gen. (TEST)
1030 CG16585 departed for Castle Hill LBS.
1115 CG16585 arrived this unit.
1130 secured for chow.

R. A. Heath

1200-1600

1200 checked all vis A/N.
1300 turn too stations work.
1515 CG-16585 departed for shore to pick up supplies and bring McWilliams BM-1 on liberty.
1550 CG16585 arrived with supplies.

R H Brown EN-3

1600-2000

1600 checked all vis A/N
1805 Evening colors, placed main light in operation.

R H Brown

2000 - 2400

2000 checked all vis A/N.
2200 checked all vis A/N.

CERTIFIED TO BE CORRECT

R H Brown EN-3
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light Station

DATE ~~M~~ RHB Tues. 2, 1962 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 30.20 | | 61° | Bc | As/St | 2 | 8 | | |
| 0400 | SW | 2 | 30.21 | | 56° | Bc | As/St | 3 | 8 | | |
| 0800 | SW | 2 | 30.23 | | 58 | Bc | Fs | 3 | 8 | | |
| 1200 | N | 1 | 30.26 | | 73° | Bc | Cl | 1 | 8 | | |
| 1600 | SW | 2 | 30.24 | | 66° | B | — | — | 8 | | |
| 2000 | SW | 1 | 30.26 | | 59 | B | — | — | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 3075 | 9 | 3,800 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 3060 | 9 | 3,600 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1800

## FOG SIGNAL (Low visibility only)

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE | TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | | | | | | |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | 30 | | TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START 1015 TIME STOP 1045

## RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000- Checked all vis A/N.

R H Brown EN-3

0400 - 0800

0400 checked all vis A/N.
0630 Reveille
0700 Secured main light.

R H Brown EN-3

0800 - 1200

0800 Morning colors. Checked all vis A/N.
0805 Turn too station work.
0930 Mc Williams arrived at station
1100 McWilliams departed for Newport to pay chow bill. in CG16585
1130 Secured for chow.
1145 CG16586 arrived.

R H Brown EN-3

1200 - 1600

1200 checked all vis A/N.
1300 Turn too stations work.

1530 Secure stations work.

R H Brown.

1600 - 2000

1600 Checked all vis A/N.
1800 Evening colors, placed main light in operation.

A. Hudomik

2000 - 2400

2000- checked all vis A/N.
2200 checked all vis A/N.

CERTIFIED TO BE CORRECT

Bobby H McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wed. 3, Oct 1962 (Insert day of week, day, month, year) LOCATION Newport RI

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 1 | 30.26 | | 64° | B | – | – | 8 | | |
| 0400 | SW | 1 | 30.28 | | 59° | B | – | – | 8 | | |
| 0800 | – | – | 30.28 | | 62° | B | – | – | 8 | | |
| 1200 | S | 2 | 30.26 | | 77° | BC | AS | 3 | 8 | | |
| 1600 | S | 3 | 3020 | | 66 | Bc | as | 4 | 7 | | |
| 2000 | S | 2 | 30.20 | | 62 | Bc | AS | 3 | 7 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 3060 | 9 | 3600 |
| EXPENDED | 15 | – | 200 |
| REMAINING | 3045 | 9 | 3400 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1800

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | | 30 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400.

0000 checked all via A/N.

R H Brown

0400 - 0800

0400 checked all via A/N.
0700 Secured main light, Reveille.

R H Brown

08.00 - 1200

0800 Morning colors, checked all via A/N
0930 Heath SA, departed on 48 hr liberty.
1130 Secured for chow.

Bobby G McWilliams

1200 - 1600

1200 checked all via A/N.

1230 Lum Lao

15.15 Received R031808Z
1600 Secured for day.

Bobby G McWilliams

1600-2000

1601 checked all via A/N
1800 Evening colors, placed main light in operation.

R H Brown

2000 - 2400

2000 checked all via A/N.
2200 checked all via A/N.
2205 Received R/022 0522

Bobby G McWilliams

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thurs 4, Oct 1962 (Insert day of week, day, month, year) LOCATION Newport RI

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | WSW | 2 | 3019 | | 50 | BC | as/st | 4 | 7 | | |
| 0400 | WSW | 1 | 30.19 | | 47 | BZ | as/st | 5 | 6 | | |
| 0800 | — | - | 30.16 | | 62 | F | — | 6 | 2 | | |
| 1200 | S | 2 | 30.14 | | 72 | BC | as/st | 6 | 6 | | |
| 1600 | S | 2 | 30.10 | | 68 | BC | as/st | 4 | 6 | | |
| 2000 | S | 2 | 3008 | | 51 | BC | as/st | 3 | 6 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 3045 | 9 | 3400 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 3030 | 9 | 3,200 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 1000 (fog) Time Lighted 1800

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0700 | 1000 | 3 | – | 60 |
| TOTAL FOR DAY | | 3 | – | |
| TOTAL FOR MONTH | | 3 | 30 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 checked all nis a/m
0200 checked all nis a/m

Bobby G McWilliams

0400-0800

0400 checked all nis a/m
0630 called crew
0700 Started No#1 fog signal, also Gull Rocks Bell

Bobby G McWilliams

0800-1200

0800 morning colors,
checked all nis a/m, fog, turn too station work
1000 checked all nis a/m, all clear secured main Light
also fog signal and Gull Rocks
1130 Secured for chow.

Bobby G McWilliams

1200-1600

1200 checked all nis a/m
1230 Turn too station work.
1315 C.S. 30402 arrived this unit, with SK3
1510 CG 30402 arrived and departed with SK3
1600 Secured for day.

1600-2000

1600 checked all nis a/m
1815 main Light in operation, checked all nis a/m
1815 Evening colors.

2000-0000

2000 checked all nis a/m
2200 checked all nis a/m

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Fri. 5 Oct. 1962 LOCATION Newport RI
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | S | 1 | 30.06 | | 48° | Bc | AS | 2 | 6 | | |
| 0400 | Nw | 1 | 30.06 | | 60° | r | – | 10 | 6 | | |
| 0800 | Nw | 3 | 30.06 | | 63° | r | – | 10 | 6 | | |
| 1200 | ENE | 4 | 29.96 | | 62° | r | – | 10 | 6 | | |
| 1600 | NE | 4 | 29.92 | | 60° | r | – | 10 | 6 | | |
| 2000 | NE | 4 | 29.90 | | 62° | r | – | 10 | 6 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 3030 | 9 | 3200 |
| EXPENDED | 15 | – | 200 |
| REMAINING | 3015 | 9 | 3000 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| | | |
| PRESENT | 4 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1300

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 1300 | 1800 | 5 | – | |
| 1815 | 1915 | 1 | – | |
| TOTAL FOR DAY | | 6 | – | |
| TOTAL FOR MONTH | | 9 | 30 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- 0400

0000 checked all vis A/N

Bobby G McWilliams

0400- 0800

0400 checked all vis A/N
0630 Reveille
0700 Secured main light

R H Brown

0800 - 1200

0800 Morning colors, turn too stations work.
0845 CG16585 Departed for Newport.
0945 CG16585 arrived with Heath SA returning from liberty
1110 arrived R0513542
1130 Secured stations work.

R H Brown.

1200- 1600

1200 - checked all vis A/N
1300 Turn too, placed #2 Fog signal, gull Rks fog signal, and main light in operation.
1530 Secured stations work.

Bobby G McWilliams

1600 - 2000

1600 checked all vis A/N "fog"
1800 Secured fog signal, also Gull Rocks
1815 Evening colors.
1815 Placed H/ fog signal, and gull Rks in operation.
1915 Secured fog signal, also Gull Rocks

Bobby G McWilliams

2000- 0000

2000 checked all vis A/N
2200 checked all vis A/N

R H Brown.

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sat 6, Oct 1962 LOCATION Newport. R. I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 3 | 29.88 | | 55 | R | | 10 | 6 | | |
| 0400 | WSW | 4 | 2986 | | 58 | R | | 10 | 6 | | |
| 0800 | WSW | 4 | 2981 | | 62 | F | | 10 | 1 | | |
| 1200 | WSW | 3 | 29.80 | | 64 | F/R | | 10 | 1 | | |
| 1600 | ESE | 2 | 29.70 | | 62 | F/R | | 10 | 1 | | |
| 2000 | – | – | 29.66 | | 62 | d | – | 10 | 6 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 3015 | 9 | 3000 |
| EXPENDED | 15 | – | 200 |
| REMAINING | 3000 | 9 | 2,800 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1800

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0800 | 0930 | 1 | 30 | 60 |
| 1300 | 1630 | 3 | 30 | 60 |
| 1800 | 1945 | 1 | 45 | – |
| TOTAL FOR DAY | | 6 | 45 | |
| TOTAL FOR MONTH | | 16 | 15 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked all vis a/m

0200 checked all vis a/m

R A Heath

Bobby G McWilliams

0400 - 0800

0400 checked all vis a/m

0700 Secured main Light.

0700 Called crew

0800 Turn too station work.

R A Heath

0800 - 1200

0800 morning colors, checked all vis a/m (fog)
Started fog signal, also main Light and
Gull Rocks

0930 Secured main light, Gull Rks signal and #2 fog
~~signal~~ RHB signal

0935 Gadomski FA departed on 48 hr. liberty.

1130 Secured for chow.

Bobby G McWilliams

1200 - 1600

1200 checked all vis a/m

1230 Turn too station work

1300 Started fog signal also Main Light and Gull Rocks.

1600 Secured for Day.

R H Brown

1600 - 2000

1600 checked all vis a/m (fog)

1600 Secured fog signals and main light

1710 Rec P062042Z.

1800 Evening colors, placed main light, #2 Fog signal, and Gull Rks in operation.

1945 Re 062230Z.

1945 Secured #2 Fog signal, and Gull Rks signal

R H Brown

2000 - 2400

2000 checked all vis A/N.

2200 checked all vis A/N.

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sun 7, Oct 1962 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 3 | 29.56 | | 56 | R | – | 10 | 6 | | |
| 0400 | Nw | 3 | 29.52 | | 55° | R | NS | 10 | 7 | | |
| 0800 | Nw | 4 | 29.48 | | 56° | R | NS | 10 | 7 | | |
| 1200 | Nw | 4 | 29.38 | | 59° | Bc | NS | 8 | 7 | | |
| 1600 | NW | 4 | 29.42 | | 59 | Bc | NS | 6 | 7 | | |
| 2000 | NW | 3 | 29.46 | | 56 | Bc | NS | 6 | 7 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 3000 | 9 | 2,800 |
| EXPENDED | 15 | – | 200 |
| REMAINING | 2985 | 9 | 2,600 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1800

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 14 | 15 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ____ TIME STOP ____

**RADIOBEACON TEST**

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked all vis a/n

R A Brown

0400 - 0800

0400 Checked all vis A/N.
0700 Secured main light.

R A Brown

0800 - 1200

0800 Morning colors, Holliday routine.

Bobby G McWilliams

1200 - 1600

1200 Checked all vis A/N.

Bobby G McWilliams

1600 - 2000

1600 checked all vis A/N.

1800 Placed main light in operation, Evening colors
1810 Recieved P/072100Z
1815 Recieved P/072118Z

R A Heath

2000 - 0000

2000 checked all vis a/n
2200 checked all vis a/n

Bobby G McWilliams

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Mon 8, Oct. 1962 (Insert day of week, day, month, year) LOCATION Newport, R. I.

| TIME | WIND DIR. | WIND FORCE | BAROMETER | TEMP. °F. WET | TEMP. °F. DRY | WEATHER | CLOUDS FORM | CLOUDS AMT. | VIS. | SEA DIR. | SEA HEIGHT IN FT. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0000 | SW | 2 | 2950 | | 54 | BC | AS/ST | 4 | 8 | | |
| 0400 | SW | 2 | 29.56 | | 58 | BC | as/st | 4 | 8 | | |
| 0800 | SW | 2 | 29.60 | | 64 | BC | as/st | 4 | 8 | | |
| 1200 | SW | 2 | 29.64 | | 69 | BC | as/st | 3 | 8 | | |
| 1600 | SW | 2 | 29.64 | | 66 | BC | as/st | 3 | 8 | | |
| 2000 | SW | 2 | 29.68 | | 58° | BC | as/st | 3 | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2985 | 9 | 2 600 |
| EXPENDED | 15 | - | 200 |
| REMAINING | 2970 | 9 | 2,400 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 4 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1800

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 16 | 15 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | REGULAR RADIOBEACON MIN. | SPECIAL CALIB. BEACON HR. | SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- 0400

0000 checked all nis a/m
0110 Recivd P 080430Z,
0200 checked all nis a/m

Bobby G McWilliams

0400 -0800

0400 checked all nis a/m
0700 Secured main Light, called crew

Bobby G McWilliams

0800- 1200

0800 Morning colors, checked all nis a/m
0805 Turn too station work,
1000 Godowski Returned from 48 hr Liberty.
1130 Secured for chow.

R H Brown

1200-1600

1200 checked all nis a/m
1420 Rec P 081752
1500 Started Emergency gen.
1600 Secured for day also secured emergency gen.

1600- 2000

1600 checked all nis a/m
1800 checked all nis a/m. Main Light in operation
Evening colors.

W. Godowski

2000 - 0000

2000 checked all nis a/m
2200 Checked all nis a/m

W. Godowski

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tues 9, Oct 1962 (Insert day of week, day, month, year) LOCATION Newport, RI

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | Sw | 2 | 29.72 | | 56° | Bc | AS/St | 4 | 8 | | |
| 0400 | w | 2 | 29.78 | | 60° | Bc | As | 5 | 7 | | |
| 0800 | NE | 2 | 29.82 | | 59 | BC | AS | 6 | 7 | | |
| 1200 | NE | 2 | 2988 | | 59 | R | AS | 10 | 7 | | |
| 1600 | NE | 2 | 2986 | | 57 | Bc | AS | 6 | 7 | | |
| 2000 | NE | 2 | 29.88 | | 51 | BC | AS | 5 | 7 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2970 | 9 | 2400 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2955 | 9 | 2200 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 4 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1800

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 16 | 45 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START 1000 TIME STOP 1030

## RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400
0000 checked all vis A/N.
0015 Secured R090400Z R H Brown.

0400-0800
0400 checked all vis A/N.
0630 Reveille
0700 Secured main light.

Bobby G McWilliams

0800-1200
0800-Morning colors, Turn too station work
1130 Secured for chow

Bobby G McWilliams

1200-1300
1200 checked all vis A/N
1230 Held drills,
1300 Turn too Station work,
1600 Secured for day.

Bobby G McWilliams

1600-2000
1600 checked all vis A/N
1800 Main Light in operation
1800 Evening colors., North End Light out, Called C.H.L.B.S.
1900 North End Light back in operation

R. A. Heath

2000-0000
2000 checked all vis A/N
2200 checked all vis A/N

R A Heath

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wed 10 Oct. 1962 LOCATION Newport. R. I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | N | 2 | 29.88 | | 44 | BC | cs/st | | 8 | | |
| 0400 | N | 3 | 29.89 | | 48 | BC | cs/st | | 8 | | |
| 0800 | N | 3 | 29.90 | | 52 | BC | cs/st | | 8 | | |
| 1200 | N | 3 | 29.88 | | 53 | BC | cs/st | | 8 | | |
| 1600 | N | 3 | 29.88 | | 55 | BC | cs/st | | 7 | | |
| 2000 | N | 3 | 2990 | | 52 | BC | cs/st | | 7 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2955 | 9 | 2200 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2940 | 9 | 2000 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1800

**FOG SIGNAL** (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE | TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES: REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 16 | 45 | | TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all nis a/m
0200 checked all nis a/m

Bobby G McWilliams

0400-0800

0400 checked all nis a/m
0630 called crew
0700 Secured main light

Bobby G McWilliams

0800-1200

0800 morning colors
0805 turn too station work
1000 Brown EN3 on 48hr liberty

R.A Heath

1200-1600

1200 checked nis a/m.
1220 Held Drills
1347 Z640522 arrived unit with Mr Champagion
1515 Z640522 departed unit with Group Commander
1600 Secured for day

1600-2000

Bobby G McWilliams

1600 checked all nis a/m
1800 main light in operation, checked all nis. a/m
1800 Evening colors.

W C Yadwinski

2000-0000

2000 checked all nis a/m
2200 checked all nis a/m

W. C. Yadwinski

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thur 11 oct 1962 (Insert day of week, day, month, year) LOCATION Newport R.I.

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | n | 2 | 2990 | | 47 | BC | as/st | 3 | 7 | | |
| 0400 | n | 2 | 29.94 | | 55 | BC | as/st | 4 | 7 | | |
| 0800 | n | 1 | 2998 | | 59 | BC | as/st | 4 | 7 | | |
| 1200 | WSW | 2 | 2992 | | 63 | BC | as/st | 4 | 7 | | |
| 1600 | wsw | 2 | 29.86 | | 65 | BC | as/st | 4 | 7 | | |
| 2000 | wsw | 2 | 2982 | | 60 | BC | as/st | 4 | 7 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2940 | 9 | 2000 |
| EXPENDED | 15 | – | 200 |
| REMAINING | 2925 | 9 | 1800 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0700 Time Lighted 1800

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 16 | 45 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 checked all vis a/m
0200 checked all vis a/m

Bobby G McWilliams

0400-0800

0400 checked all vis a/m
0630 called crew
0700 Secured main light

Bobby G McWilliams

0400-0800

0800 Morning colors,
checked all vis a/m
0805 turn too station work
1130 Secured for chow

R. A. Heath

1200-1600

1200 checked all vis a/m
1230 Held Drill (fire)
1300 turn too
1600 Secured for

R. A. Heath

1600-2000

1600 checked all vis a/m
1800 main light inoperation, checked all vis a/m
Eveng Colors

2000-0000

2000 checked all vis a/m
2200 checked all vis a/m

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Fri 12, Oct, 1962 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | WSW | 2 | 29.80 | | 46 | B: | AS/ST | 4 | 8 | | |
| 0400 | WSW | E | 29.80 | | 42 | BC | as/st | 4 | 7 | | |
| 0800 | WSW | 2 | 29.82 | | 54 | BC | as/st | 4 | 7 | | |
| 1200 | WSW | 3 | 29.72 | | 71° | BC | AS/ST | 4 | 7 | | |
| 1600 | WSW | 3 | 29.62 | | 68° | BC | AS/ST | 4 | 7 | | |
| 2000 | WSW | 2 | 29.66 | | 70° | BC | AS/ST | 4 | 7 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2925 | 9 | 1800 |
| EXPENDED | 15 | – | 200 |
| REMAINING | 2910 | 9 | 1600 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1745

FOG SIGNAL (Low visibility only) | RADIOBEACON (Low visibility and calibration time only)

| FOG SIGNAL TIME START | FOG SIGNAL TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE | RADIOBEACON TIME START | RADIOBEACON TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 16 | 45 | | TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all vis A/N
0200 Checked all vis A/N

Bobby H McWilliams

0400 - 0800

0400 checked all vis A/N
0600 checked all vis A/N
0630 Called Crew
0700 Secured main Light

Bobby H McWilliams

0800-1200

0800 Morning Colors Received P 121134Z
0805 Turn too Station work.
1130 Secured for chow
1145 Brown EN3 returned from 48hr Liberty
McWilliams BM1 departed on Liberty

W. Gadomski

1200-1600

1200 checked all vis A/N
1300 Turn too station work.
1530 Secured station work.

R H Brown.

1600 - 2000

1600 checked all vis A/N.
1745 Placed main light in operation, evening colors.

W. Gadomski

2000-2400

2000 CHECKED ALL VIS A/N
2200 checked all vis A/N.

CERTIFIED TO BE CORRECT

R H Brown EN-3
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sat 13, Oct, 1962 (Insert day of week, day, month, year) LOCATION Newport, RI

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | WSW | 3 | 29.80 | | 64° | Bc | As | 2 | 8 | | |
| 0400 | Nw | 2 | 29.90 | | 52° | Bc | AS/ST | 6 | 8 | | |
| 0800 | Nw | 3 | 29.98 | | 52° | Bc | AS/ST | 7 | 8 | | |
| 1200 | Nw | 3 | 29.99 | | 62° | Bc | As | 7 | 8 | | |
| 1600 | Nw | 3 | 30.00 | | 62° | Bc | AS | 6 | 8 | | |
| 2000 | NW | 2 | 30.08 | | 56° | BC | AS | 4 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2910 | 9 | 1600 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2895 | 9 | 1400 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0715 Time Lighted 1745

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 16 | 45 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- 0400
0000 checked all vis A/N.

R H Brown

0400-0800
0400 checked all vis A/N.
0715 Secured main light.
0730 Reveille.

R H Brown

0800-1200
0800- checked all vis A/N.
1000 Mc Williams BM-1 arrived from liberty
1130 Secured for chow.

R H Brown

1200-1600
1200 checked all vis A/N.
1300 Turn too stations work.
1530 Secured work for day.

W. Hadersmith

1600 - 2000
1600 checked all vis A/N
1745 Placed main light in operation, evening colors.
1800 ~~[illegible]~~ Main Light in operation

Bobby G McWilliams

2000-0000
2000 checked all vis A/N

W. Hadersmith

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sun 14 Oct 1962 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 2 | 30.12 | | 46 | BC | AS | 4 | 8 | | |
| 0400 | NW | 2 | 30.14 | | 55° | BC | AS | 5 | 8 | | |
| 0800 | NW | 1 | 30.15 | | 60° | Bc | AS/ST | 6 | 8 | | |
| 1200 | NW | 1 | 30.20 | | 62° | Bc | AS/ST | 6 | 8 | | |
| 1600 | NW | 1 | 30.18 | | 59° | BC | as/st | 5 | 7 | | |
| 2000 | NW | 1 | 30.18 | | 56° | BC | as/st | 4 | 7 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2895 | 9 | 1400 |
| EXPENDED | 15 | - | 200 |
| REMAINING | 2880 | 9 | 1200 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1745

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 16 | 45 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 -0400

0000 checked all vis a/n

R H Brown

0400 - 0800

0400 checked all vis A/N.
0500 Recieved R/140842
0715 Secured main light.

R H Brown.

0800- 1200

0800 Morning colors, Holliday routine
0930 Heath SA departed on 48 hr liberty.

Bobby G McWilliams

1200-1600

1200 Checked all vis. A/N

Bobby G McWilliams

1600-2000

1600 Checked all vis a/n
1745 Main Light in operation, checked all vis a/n
Eveing colors.

W. Sadowski

2000-0000

2000 checked all vis a/n
2200 checked all vis a/n

W. Sadowski

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Mon 15, Oct 1962 (Insert day of week, day, month, year) LOCATION Newport, R.I.

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 1 | 30.20 | | 48° | BC | AS ~~ST~~ | 2 | 8 | | |
| 0400 | NE | 1 | 30.28 | | 47° | BC | AS | 4 | 8 | | |
| 0800 | NW | 2 | 30.30 | | 48 | BC | AS | 3 | 8 | | |
| 1200 | NNE | 1 | 30.34 | | 56° | B | — | — | 8 | | |
| 1600 | S | 2 | 30.30° | | 55° | B | — | — | 8 | | |
| 2000 | S | 2 | 30.28° | | 51 | B | — | — | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2880 | 9 | 1200 |
| EXPENDED | 15 | 1 | 200 |
| REMAINING | 2865 | 8 | 1000 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1745

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 17 | 15 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START 1000 TIME STOP 1030

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—03545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- 0400

0000 checked all nis a/m
0200 checked all nis a/m

Bobby G McWilliams

0400 - 0800

0400 checked all nis. A/M
0715 Secured main light.

Bobby G. McWilliams

0800-1200

0800 checked all nis a/m
morning colors, turn too Station work
1000 Checked all nis a/m
1130 Secured for chow
*1000-1100 run eng. gen (TEST)

W Madomuh

1200-1600

1200 checked all nis a/m
1230 Held drills
1300 turn too
1600 Secured for day

W. Madomuh

1600 - 2000

1600 checked all nis a/m
1745 Checked all nis a/m main Light in operation,
1800 Evening colors

Bobby G McWilliams

2000-0000

2000 checked all nis a/m
2200 checked all nis a/m

R H Brown

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tues 16, Oct. 1962 (Insert day of week, day, month, year) LOCATION Newport, R. I.

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | S | 1 | 30.30 | | 42° | B | — | — | 8 | | |
| 0400 | Sw | 3 | 30.22 | | 44° | B | — | — | 8 | | |
| 0800 | SW | 4 | 30.18 | | 58° | Bc | AS/ST | 6 | 8 | | |
| 1200 | Sw | 3 | 30.14 | | 62° | Bc | as/st | 6 | 8 | | |
| 1600 | Sw | 2 | 30.12 | | 58 | B | as/st | 5 | 8 | | |
| 2000 | Sw | 3 | 30.04 | | 54 | BC | as/st | 4 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2865 | 8 | 1000 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2850 | 8 | 8,000 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 4 | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1745

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 17 | 15 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 checked all vis a/m
0200 checked all vis a/m

Bobby G McWilliams

0400 - 0800

0400 checked all vis a/m
0645 Received P-160556Z. S.C.W.
0715 Secured main light, reveille

R H Brown

0800 - 1200

0800 Morning colors, turn too station work.
1000 checked all vis a/m
1000 Heath. Robert. A. SA. returned from 48 hr. liberty.
1130 Secured for chow.

Bobby G McWilliams

1200 - 1600

1200 checked all vis a/m
1230 Held drills, Boat safty!
1300 Turn too.
1600 Secured all vis a/m

Bobby G McWilliams

1600 - 2000

1600 checked all vis a/m
1745 Main light in operation, checked all vis a/m
1800 Eveng colors.

R A Heath

2000 - 0000

2000 checked all vis a/m
2200 checked all vis a/m
~~2340 Received P-160500Z~~

R A Heath

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wed 17, Oct, 1962 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 3 | 30.00 | | 55° | Bc | As/st | 4 | 8 | | |
| 0400 | WSW | 4 | 29.96 | | 58° | Bc | AS/ST | 5 | 7 | | |
| 0800 | WSW | 5 | 29.92 | | 63° | Bc | AS/ST | 5 | 7 | | |
| 1200 | WSW | 1 | 2994 | | 64° | Bc | as/st | 6 | 7 | | |
| 1600 | NW | 1 | 29.92 | | 64° | Bc | AS | 4 | 8 | | |
| 2000 | Nw | 1 | 29.94 | | 60° | Bc | AS | 3 | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2850 | 8 | 8,000 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2835 | 8 | 600 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1745

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 17 | 15 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 - checked all vis A/N.

R H Brown

0400 - 0800

0400 checked all vis A/N.

0700 Reveille.

0715 Secured main light.

R H Brown.

0800 - 1200

0800 Morning colors turn too stations work.

0805 checked all vis A/N.

1000 Gadomski W.C. FA departed on 48 hr liberty

1130 Secured for chow.

Bobby G McWilliams

1200 - 1600

1200 Checked all vis a/n

1230 Held drills

1300 CG16585 departed for Newport to make chow run.

1400 CG16585 returned station

R A Heath

1600 - 2000

1600 checked all vis A/N

1615 secured from station work.

1750 Main light in operation Evening colors.

2000 - 000

2000 - checked all vis a/n

2100 Received T 1800322

CERTIFIED TO BE CORRECT

Bobby G McWilliams

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thurs 18, Oct. 1962 (Insert day of week, day, month, year) LOCATION Newport, R.I.

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 2 | 29.98 | | 54° | BC | AS | 2 | 8 | | |
| 0400 | NW | 1 | 30.01 | | 53° | BC | AS | 2 | 8 | | |
| 0800 | NW | 1 | 30.06 | | 60° | BC | Acc | 3 | 8 | | |
| 1200 | N | 1 | 30.08 | | 66° | BC | as/st | 2 | 8 | | |
| 1600 | SW | 1 | 30.02 | | 69° | BC | as/st | 2 | 8 | | |
| 2000 | SW | 1 | 30.02 | | 54 | B | — | ~~2~~ | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2835 | 8 | 600 |
| EXPENDED | 15 | — | 20 |
| REMAINING | 2820 | 8 | 580 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1745

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 17 | 15 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ____ TIME STOP ____

**RADIOBEACON TEST**

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked all vis A/N.
0140 recieved P/ 1805 10Z

R H Brown

0400 - 0800

0400 checked all vis A/N.

0700 Reveille
0715 Secured main light

R H Brown

0800 - 1200

0800 Morning colors, turn too station work.
1000 Heath to Castell Hill LBS, and town for supplies
1130 Heath, Returned to unit
1130 Secured for chow.

Bobby S McWilliams

1200 - 1600

1200 checked all vis A/N
1230 Held drills, Boating
1300 turn too station work.
1400 Recieved R/ 181730Z.
1600 Secured for day

Bobby S McWilliams

1600 - 2000

1600 checked all vis A/N
1745 main light in operation
1800 Evening colors.
20

2000 - 0000

2000 check all vis A/N

CERTIFIED TO BE CORRECT

Bobby S McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Fri. 19, Oct. 1962 (Insert day of week, day, month, year) LOCATION Newport, RI

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | — | — | 30.04 | | 52° | Bc | As/sT | 3 | 7 | | |
| 0400 | nw | 1 | 30.08 | | 45 | BC | as/st | 3 | 7 | | |
| 0800 | NW | 2 | 30.10 | | 52° | BC | as/st | 2 | 8 | | |
| 1200 | S | 2 | 30.12 | | 60° | BC | Ci | 3 | 8 | | |
| 1600 | S | 2 | 30.10 | | 58° | BC | As | 4 | 8 | | |
| 2000 | S | 2 | 30.10 | | 55° | BC | As | 4 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2820 | 8 | 580 |
| EXPENDED | 15 | 1 | 20 |
| REMAINING | 2805 | 8 | 560 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1745

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 17 | 15 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 checked all vis A/N

0300 checked all vis A/N

Bobby G McWilliams

0400-0800

0400 checked all vis A/N

0630 called crew

0715 secured main light

Bobby G McWilliams

0800-1200

0800 morning colors

0805 Turn too Station work

0945 CG16585 Departed for Newport to pick up Gadomski F.A. returning from 48 hr liberty and leaving McWilliams BM-1 on liberty.

1045 CG16585 arrived with Gadomski F.A.

1130 Secured stations work.

R A Brown.

1200 - 1600

1200 checked all vis A/N.

1230 Held fire drill.

1300 Turn too stations work

1315 CG16585 departed for Newport to pick up supplies.

1430 CG16585 arrived with supplies.

1545 Secured stations work.

R A Brown.

1600 - 2000.

1600 - checked all vis A/N.

1745 Placed main light in operation, evening colors.

R A Brown.

2000 - 0000

2000 checked all vis A/N

2200 checked all vis A/N

R A Heath

CERTIFIED TO BE CORRECT

R A Brown EN-3

(Officer in Charge)

**TREASURY DEPARTMENT**
**U. S. COAST GUARD**
**CG-3188 (12-50)**

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Oct 20, 1962 Sat LOCATION Newport RI
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 30.10 | | 44 | BC | AS | 4 | 8 | | |
| 0400 | W | 1 | 30.04 | | 50° | Bc | As | 3 | 7 | | |
| 0800 | NE | 1 | 30.00 | | 50° | Bc | Ci | 3 | 8 | | |
| 1200 | NE | 1 | 29.99 | | 66 | BZ | Ci | 3 | 8 | | |
| 1600 | NE | 1 | 29.84 | | 58 | BC | Ci | 3 | 8 | | |
| 2000 | NE | 1 | 29.82 | | 57 | BC | Ci | 3 | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2805 | 8 | 560 |
| EXPENDED | 15 | - | 20 |
| REMAINING | 2790 | 8 | 540 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1755

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 17 | 15 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 checked vis A/N

R A Heath

0400-0800

0400 checked all vis A/N.
0715 Secured main light.
0730 Reveille.

R H Brown

0800-1200

0800 Morning Colors, then to stations work.

1200-1600

1200 checked vis A/N.

R A Heath

1600-2000

1600 checked vis A/N
1615 Secured from station work.
1755 Main Light in operation
Evening Colors

R A Heath

2000-2400

2000 checked vis A/N.

R A Heath

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Oct 21, 1962 Sun LOCATION Newport R.I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | N | 1 | 29.82 | | 57 | BC | CI | 4 | 8 | | |
| 0400 | NE | 1 | 29.73 | | 57 | BC | AS/ST | 6 | 8 | | |
| 0800 | NE | 1 | 29.61 | | 59 | BC | AS/ST | 6 | 8 | | |
| 1200 | SW | 1 | 29.59 | | 63 | BC | AS/ST | 6 | 7 | | |
| 1600 | SW | 2 | 2950 | | 62° | BC | as/st | 5 | 7 | | |
| 2000 | NW | 2 | 2956 | | 58° | BC | as/st | 4 | 7 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2790 | 8 | 540 |
| EXPENDED | 15 | | 20 |
| REMAINING | 2775 | 8 | 520 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 7 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Lbert | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1745

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 17 | 15 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

2400-0400

2400 checked nis A/n

R A Heath

0400-0800

0400 checked nis A/n.
0715 Secured main Light
0730 Revelie

R A Heath

0800-1200

0800 Morning Colors.
0830 Haliday Routine.

R A Heath

1200-1600

1200 checked all nis A/N
1215 Brown EN3 departed on 48hr Liberty

R A Heath

1600-2000

1600 checked all nis A/N
1745 Main Light in operation, checked all nis A/N
1800 checked all nis A/N Evening colors.

Bobby H McWilliams

2000-0000

2000 checked all nis A/N
2149-P22 D138 recieved
2200 checked nis A/N

Bobby H McWilliams

CERTIFIED TO BE CORRECT

Bobby H McWilliams
(Officer in Charge)

**TREASURY DEPARTMENT**
**U. S. COAST GUARD**
**CG-3188 (12-50)**

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Mon 22 Oct 1962 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | Ne | 2 | 2960 | | 51 | BC | as/st | 4 | 7 | | |
| 0400 | N | 1 | 29.65 | | 57 | BC | AS/ST | 4 | 7 | | |
| 0800 | N | 1 | 29.68 | | 54 | BC | AS/ST | 4 | 7 | | |
| 1200 | N | 2 | 29.72 | | 60 | BC | AS/ST | 4 | 7 | | |
| 1600 | SW | 3 | 29.76 | | 60° | BC | as/st | 3 | 7 | | |
| 2000 | WSW | 2 | 29.78 | | 52° | BC | as/st | 3 | 7 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 0775 | 8 | 300 |
| EXPENDED | 15 | — | 20 |
| REMAINING | 0760 | 8 | 500 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| LIBERTY | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1745

**FOG SIGNAL** (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

| FOG SIGNAL TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE | RADIOBEACON TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 17 | 15 | | TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ____ TIME STOP ____

**RADIOBEACON TEST**

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked all vis a/n

W. Hadomski

0400 - 0800

0400 checked all vis a/n

0715 Secured main light

0750 reville

W. Hadomski

0800 - 1200

0800 checked all vis a/n . morning colors

0805 Turn to station work.

1130 Secure for chow

W. Hadomski

1200 - 1600

1200 checked all vis a/n

1230 Held drills

1300 Turn too station work.

1000 Secured for day.

Bobby G McWilliams

1600 - 2000

1600 Checked all vis a/n

1745 Main Light in operation

1800 Evening colors

Bobby G McWilliams

2000 - 0000

2000 checked all vis a/n

2025 Rec O ~~1605~~ 223358

2300 Rec O 230230Z

2325 Rec P 230218Z

Bobby G McWilliams

**CERTIFIED TO BE CORRECT**

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Oct 23, 1962 tues LOCATION Newport R.I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | WSW | 2 | 2977 | | 51° | BC | AS/ST | 3 | 8 | | |
| 0400 | SW | 2 | 29.76 | | 51° | BC | AS/ST | 4 | 8 | | |
| 0800 | SW | 2 | 29.74 | | 52° | BC | AS/ST | 4 | 8 | | |
| 1200 | S | 3 | 29.72 | | 62 | BC | AS/ST | 4 | 8 | | |
| 1600 | S | 3 | 29.60 | | 61° | BC | as/st | 4 | 7 | | |
| 2000 | NW | 2 | 29.62 | | 56° | BC | as/ST | 3 | 9 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2760 | 8 | 500 |
| EXPENDED | 15 | — | 20 |
| REMAINING | 2745 | 8 | 480 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1730

## FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE | TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| 1800 | 1830 | — | 30 | 60 | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 17 | 45 | | TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

2400 - 0400

2400 checked v i s A/n.

R A Heath.

0400 - 0800

0400 checked v i s A/n.

R A Heath.

0700 Revilie

0715 Secured main Light

0730 turned to station work.

0800 - 1200

0800 Morning Colors.

R A Heath.

1130 Secured for noon chow.

1200 - 1600

1200 checked v i s A/n

1230 Held drills

1300 turned to station work.

1600 Secured from work.

Bobby G McWilliams

1600 - 2000

1600 checked all vis a/n

1745 Main Light in operation

1800 Evening colors, also started fog signal and Gull Rocks Bell.

1830 Secured fog signal. also Gull Rocks

Bobby G McWilliams

2000 - 0000

2000 checked all vis a/n

2200 checked all vis a/n

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Oct 24, 1962 (Insert day of week, day, month, year) LOCATION Newport. R.I.

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | Nw | 2 | 29.72 | | 40° | BC | as/st | 3 | 8 | | |
| 0400 | NW | 2 | 29.78 | | 43 | BC | AS/ST | 3 | 8 | | |
| 0800 | NW | 1 | 29.81 | | 46 | BC | AS/ST | 3 | 8 | | |
| 1200 | Nw | 1 | 29.89 | | 60 | BC | AS/ST | 3 | 8 | | |
| 1600 | Nw | 2 | 29.94 | | 52° | BC | as/st | 3 | 8 | | |
| 2000 | Nw | 2 | 30.00 | | 46 | BC | as/st | 3 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2745 | 8 | 480 |
| EXPENDED | 15 | -0 | 20 |
| REMAINING | 2730 | 8 | 460 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | | |
| ATTACHED | | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | | |

**MAIN LIGHT** Time Extinguished 0715 Time Lighted 1730

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 17 | 45 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START TIME STOP

## RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked all res a/m
0200 checked all res a/m

Bobby G McWilliams

0400 - 0800

0400 checked all res a/m

R A Heath

0715 secured main light
0730 Reveille

0800 - 1200

0800 Morning colors. - checked all res a/m
0815 Sum too station work,
0900 → Heath. R.A on Liberty -
1400 C.G. 40538 arrived with 100 gal ~~[illegible]~~ gas.

Bobby G McWilliams

1200 - 1600

1200 checked all res a/m
1300 CG 40538 departed this unit
1315 Sum too station work.
1600 Brown EN3 returned from Liberty

Bobby G McWilliams

1600 - 2000

1600 checked all res a/m
1600 Secured for day
1745 Main light in operation, checked all res a/m
1945 Evening colors

2000 - 0000

2000 checked all res a/m
2200 checked all res a/m

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sun. 28 Oct, 1962 LOCATION Newport. R.I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 1 | 30.12 | | 42° | BC | as/st | 3 | 8 | | |
| 0400 | S | 1 | 30.14 | | 43° | Bc | As/ST | 4 | 8 | | |
| 0800 | SE | 1 | 30.16 | | 50° | BC | As | 6 | 8 | | |
| 1200 | SW | 1 | 30.16 | | 51° | BC | as | 6 | 7 | | |
| 1600 | SW | 2 | 30.14 | | 48° | BC | as/st | 6 | 7 | | |
| 2000 | NW | 2 | 3010 | | 42° | BC | as/st | 5 | 7 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2730 | 8 | 460 |
| EXPENDED | 15 | — | 20 |
| REMAINING | 2715 | 8 | 440 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0730 Time Lighted 1730

FOG SIGNAL (Low visibility only) | RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE | TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 17 | 45 | | TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all vis a/n

R H Brown

0400 - 0800

0400 Checked all vis A/N.
0700 Reveille
0730 Secured main light

R H Brown.

0800 - 1200

0800 - Checked all vis A/N. Morning colors.
0810 Turn too station work.
1130 Secured for chow.

Bobby S McWilliams

1200 - 1600

1200 Checked all vis a/m
1230 Held drills
1300 Turn too.
1600 Secured for day.

Bobby S McWilliams

1600 - 2000

1600 Checked all vis a/m
1730 checked all vis a/m Main Light in operation
1745 Evening colors.

Bobby S McWilliams

2000 - 0000

2000 Checked all vis a/m
2200 Checked all vis a/m
2340 Received P 260300Z

CERTIFIED TO BE CORRECT

Bobby S McWilliams
(Officer in Charge)

**TREASURY DEPARTMENT**
**U. S. COAST GUARD**
**CG-3188 (12-50)**

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Fri-26, Oct 1962 LOCATION Newport R. I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | nw | 2 | 30.04 | | 40° | BC | as/st | 3 | 8 | | |
| 0400 | NW | 4 | 30.90 | | 39 | O | cu/FC | 10 | 6 | | |
| 0800 | NW | 5 | 29.84 | | 41 | R | CU/FC | 10 | 6 | | |
| 1200 | NW | 1 | 29.78 | | 36° | Fs | NS | 10 | 1 | | |
| 1600 | nw | 1 | 29.78 | | 34° | C | as/st | 7 | 7 | | |
| 2000 | wnw | 1 | 29.84 | | 33° | C | as/st | 5 | 7 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2715 | 8 | 1000<br>440<br>1440 |
| EXPENDED | 15 | — | 20 |
| REMAINING | 2700 | 8 | 1420 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| [illegible] | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0730 Time Lighted 1730

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

| FOG SIGNAL TIME START | FOG SIGNAL TIME STOP | SIGNAL OPERATED | | AIR PRESSURE | RADIOBEACON TIME START | RADIOBEACON TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON | | CALIBRATION SERVICES SPECIAL CALIB. BEACON | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| 1130 | 1400 | 2 | 30 | 60 | | | | | | | | | |
| 1750 | 1900 | 1 | 10 | 60 | | | | | | | | | |
| TOTAL FOR DAY | | 3 | 40 | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 21 | 25 | | TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 checked all res a/m

W. Hadomske

0400-0800

0400 checked all rri a/m

0630 Received R/261000Z display SCW

0730 Secured main light

W. Hadomske

0800-1200

0800 checked all rri a/m

morning colors

0805 Turn to station work.
1130 ~~Secured~~ RHO Placed #1 fog signal, main light and Gull Rks fog signal in operation.
1145 Secured stations work
1200 Heath, R.A.(SA) returned from 48hr Liberty

R H Brown.

1200-1600

1200 checked all rrs A/M "Fog"

1230 Drill, flashing light.
1400 Secured #Fog signal, main light and Gull Rks fog signal.
1600 Secured for day
1600 Took on approx 1000 gal. water from rain.

Bobby G McWilliams

1600-2000

1600 checked all rrs a/m

1730 Turned main light on

1750 Turned on fog signal + Gull rks bell
1900 Secured #2 Fog signal and Gull Rks.

Bobby G McWilliams

2000-0000

2000 checked all rrs a/m
2200 checked all rrs a/m

Bobby G McWilliams

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sat 27, Oct 1962 LOCATION Newport. R.I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | WSW | 2 | 29.84 | | 38° | BC | ASST | 5 | 7 | | |
| 0400 | WSW | 4 | 30.07 | | 36 | BC | AS/ST | 5 | 7 | | |
| 0800 | WSW | 4 | 30.07 | | 39 | BC | AS/ST | 5 | 7 | | |
| 1200 | NW | 4 | 30.12 | | 41 | BC | as/st | 5 | 7 | | |
| 1600 | WSW | 3 | 30.12 | | 48° | BC | as/st | 4 | 7 | | |
| 2000 | WSW | 1 | 30.06 | | 44° | BC | as/st | 3 | 7 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2700 | 8 | 1420 |
| EXPENDED | 75 | - | 20 |
| REMAINING | 2685 | 8 | 1400 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH<br>Liberty | 1 | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0730 Time Lighted 1715

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 21 | 25 | |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked all vis a/n
0200 checked all vis A/N.

Bobby G McWilliams

0400-0800

0400 Checked all vis a/n
0730 Secured main Light

Bobby G McWilliams

0800-1200

0800 morning colors.
0805- Sum too, Gadomski FA departed on 48hr. Liberty
1130 Secured for chow

Bobby G McWilliams

1200-1600

1200 Checked all vis a/n
1230 Held Drills
1300 Sum too
1600 ~~[illegible]~~ Secured for day.

Bobby G McWilliams

1600-2000

1600 checked all vis a/n
1715 main light in operation
1730 Evening colors.
1800 checked all vis a/n

2000-0000

2000 checked all vis a/n
2200 checked all vis a/n
0000 - Set clock back one hour.

R A Holt

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sun. 28, Oct 1962 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | W | 4 | 30.16 | | 46° | BC | as/st | 3 | 8 | | |
| 0400 | W | 4 | 30.15 | | 49° | BC | as/st | 3 | 8 | | |
| 0800 | SW | 4 | 30.16 | | 60° | BC | as/st | 3 | 8 | | |
| 1200 | SW | 4 | 30.10 | | 62 | BC | as/st | 3 | 8 | | |
| 1600 | SW | 4 | 30.04 | | 58° | BC | as/st | 6 | 8 | | |
| 2000 | SW | 4 | 30.02 | | 45° | BC | as/st | 6 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2685 | 8 | 1400 |
| EXPENDED | 15 | – | 20 |
| REMAINING | 2670 | 8 | 1380 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0630 Time Lighted 1625

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 21 | 25 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

2400 - 0400

2400 checked n/s A/n - turned back clock for Eastern standard time

R. A. Heath

0400 - 0800

0400 checked n/s A/n
0630 secured main light

R A Heath

0800 - 1000

0800 Morning Colors.
Holiday Routine.

Bobby G McWilliams

1200 - 1600

1200 - checked all n/s a/m

Bobby G McWilliams

1600 - 2000

1600 checked all n/s a/m
1625 main light in operation, checked all n/s a/m
1645 Evening colors

Bobby G McWilliams

2000 - 0000

2000 checked all n/s a/m
2200 checked all n/s a/m

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE MON. 29, Oct., 1962 (Insert day of week, day, month, year) LOCATION Newport, R.I

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | Sw | 4 | 2992 | | 44° | BC | as/st | 5 | 8 | | |
| 0400 | Nw | 4 | 30.01 | | 50° | BC | AS/ST | 8 | 8 | | |
| 0800 | Nw | 4 | 30.08 | | 48° | BC | AS/ST | 8 | 8 | | |
| 1200 | Nw | 3 | 30.12 | | 52° | BC | AS | 5 | 8 | | |
| 1600 | Nw | 2 | 30.16 | | 48° | BC | as | 4 | 8 | | |
| 2000 | Nw | 1 | 3020 | | 40° | BC | as/st | 3 | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2770 | 8 | 1380 |
| EXPENDED | 15 | - | 20 |
| REMAINING | 2755 | 8 | 1360 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | | |

**MAIN LIGHT** Time Extinguished 0630 Time Lighted 1630

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 21 | 55 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START 1330 TIME STOP 1400

**RADIOBEACON TEST**

TIME START TIME STOP

(OVER)

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all vis a/m

R H Brown

0400 - 0800

0400 checked all vis A/N.
0630 Secured main light
0700 Reveille -

Bobby G. McWilliams

0800 - 1200

0800 Morning Colors, checked all vis a/m
0805 Turn too Stations work
1030 Started emergency gen., for weekly test.
1130 Secured emergency gen. } "Tested 59t."
1135 Secured stations work.

R H Brown

1200 - 1600

1200 Checked all vis A/N.
1230 Held Drills
1300 Turn too station work.
1600 Secured for day

Bobby G McWilliams

1600 - 2000

1600 Checked all vis a/m
1615 Main light in operation, checked all vis a/m
1905 Rec P292350Z

Bobby G McWilliams

2000 - 0000

2000 Checked all vis a/m
2050 R 300002
2200 checked all vis A/N

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light Station

DATE Tues 30, Oct 1962 (Insert day of week, day, month, year) LOCATION Newport, RI

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 1 | 30.21 | | 38° | BC | AS/ST | 3 | 8 | | |
| 0400 | E | 1 | 30.19 | | 39° | BC | AS | 2 | 8 | | |
| 0800 | E | 2 | 30.16 | | 42° | BC | Sc | 4 | 8 | | |
| 1200 | SE | 2 | 30.08 | | 50° | BC | Sc | 5 | 8 | | |
| 1600 | SE | 2 | 30.02 | | 50° | BC | Sc | 4 | 8 | | |
| 2000 | ESE | 3 | 29.98 | | 49 | O | — | — | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2755 | 8 | 1360 |
| EXPENDED | 15 | — | 20 |
| REMAINING | 2740 | 8 | 1340 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH Schetty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0630 Time Lighted 1615

## FOG SIGNAL (Low visibility only)

## RADIOBEACON (Low visibility and calibration time only)

| FOG SIGNAL TIME START | FOG SIGNAL TIME STOP | SIGNAL OPERATED | | AIR PRESSURE | RADIOBEACON TIME START | RADIOBEACON TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 21 | 55 | | TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all vis A/N.

R A Brown.

0400 - 0800

0400 - checked all vis A/N.
0630 secured main light.
0700 Reveille.

R A Brown

0800 - 1200

0800 Morning colors. checked all vis A/N.
0805 Turn too station work.

1130 Secure station work.

R A Brown

1200 - 1600

1200 Checked all vis A/N.
1230 Held drills
1300 Turn too station work.
1430 Brown EN3 departed on Liberty Gedanski
Returned from Liberty.
1600 Secured for day.

1600 - 2000

1600 checked all vis a/n
1625 main light in operation, checked all vis a/n
1758 Rec P 302202.

Bobby G. McWilliams

2000 - 0000

2000 checked all vis a/n
2200 checked all vis a/n

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wed 31 Oct 1962 LOCATION Newport. R.I.
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | ESE | 3 | 2991 | | 46 | R | — | 10 | 7 | | |
| 0400 | SE | 3 | 29.84 | | 47 | R | — | 10 | 7 | | |
| 0800 | S | 2 | 29.80 | | 49 | C | A/C | 9 | 8 | | |
| 1200 | S | 2 | 2976 | | 58 | R/C | A/C | 9 | 8 | | |
| 1600 | S | 2 | 29.72 | | 58° | R | — | 10 | 6 | | |
| 2000 | S | 2 | 29.69 | | 58° | O | A/C | 9 | 8 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2740 | 8 | 1340 |
| EXPENDED | 15 | — | 20 |
| REMAINING | 2725 | 8 | 1320 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH<br>Liberty | 1 | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0630 Time Lighted 1610

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 2130 | 2330 | 2 | - | 60 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 23 | 55 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400.

0000
Checked all n/s a/m

R A Heath

0400-0800

0400 checked all n/s A/n
0630 Secured main Light
0700 Reveille
0745 turned to station work.

R A Heath

0800-1200

0800 Morning Colors.
1130 Secured for noon chow

R A Heath

1200-1600.

1200 check n/s A/n.
1230 Held Drills
1300 turned to station work.
1539 Rec P 311948 Z

Bobby G McWilliams

1600-2000

1600 Secured for day
checked all n/s a/m
1600 Main light in operation

R A Heath

2000-2400

2000 checked n/s O/K
2130 Fog signal - Bull rocks in operation
2330 Secured fog signal also Bull Rocks

Bobby G McWilliams

CERTIFIED TO BE CORRECT

Bobby G McWilliams BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

# LIGHTSHIP OR LIGHT STATION LOG

## MONTHLY SUMMARY

*(Fill Out on Last Day of Month)*

U. S. COAST GUARD Rose Island Lightstation MONTH OF OCTOBER 1962

SUPPLIES *(Light Station Only)*

| | FUEL | DIESEL OIL, GAL. | GASOLINE, GAL. | LUB. OIL, GAL. | WATER, GAL. | | |
|---|---|---|---|---|---|---|---|
| RECEIVED | 0 | | 0 | | 0 | | |
| EXPENDED | 275 | | | | 2650 | | |
| REMAINING | 2725 | | 60 | | 1320 | | |

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

| | FOG SIGNAL | RADIO BEACON | | |
|---|---|---|---|---|
| | | LOW VISIBILITY | REGULAR CALIBRATION | SPECIAL BEACON CALIBRATION |
| TOTAL PREVIOUS MONTHS OF YEAR | 2147 HR. | HR. | HR. | HR. |
| TOTAL THIS MONTH | 21 HR. | HR. | HR. | HR. |
| TOTAL YEAR TO DATE | 2168 HR. | HR. | HR. | HR. |

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
*(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)*

| | EXCELLENT | GOOD | FAIR | POOR | REMARKS |
|---|---|---|---|---|---|
| BUILDINGS OR HULL | | x | | | |
| ILLUMINATING APPARATUS | x | | | | |
| FOG SIGNAL | | x | | | |
| RADIOBEACON | | | | | |
| MACHINERY | | | | | |
| BOATS (BY NO.) 16585 | | x | | | |
| VEHICLES (BY NO.) | | | | | |

NUMBER DISABLING INJURIES REPORTED 0 DAYS LOST 0 ACCIDENTAL DAMAGE TO PROPERTY, $0

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

| NAME | LL. NO. | CONDITION | REMARKS |
|---|---|---|---|
| Gull Rocks | 547 | good | |

*(Use Other Side if Necessary)*

CERTIFIED TO BE CORRECT

*(Officer in Charge)*

U. S GOVERNMENT PRINTING OFFICE 16—63539-2